PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference	FOR FURTHER ACTION See Form PCT/IPEA/416							
PC-21014987								
International application No.	International filing date (de	zy/month/year)	Priority date (day/month/year)					
PCT/SE2004/001007	23.06.2004		04.07.2003					
International Patent Classification (IPC) or national classification and IPC								
H01F 41/02								
Applicant								
PANPOWER AB et al								
 This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36. 								
2. This REPORT consists of a total	of 3 sheets, i	ncluding this cover	sheet.					
3. This report is also accompanied by ANNEXES, comprising:								
a. (sent to the applicant and to the International Bureau) a total of 4 sheets, as follows:								
		· · ·	been amended and are the basis of this report					
and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).								
	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes							
beyond the disconnected Supplementa		application as filed	, as indicated in item 4 of Box No. I and the					
b. (sent to the Internation	•••		umber of electronic carrier(s))					
readable form only, a			and/or tables related thereto, in computer o Sequence Listing (see Section 802 of the					
readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).								
4. This report contains indications re	elating to the following item	s:						
Box No. I Basis o	of the report							
Box No. II Priority	y							
Box No. III Non-es	stablishment of opinion with	regard to novelty, i	nventive step and industrial applicability					
Box No. IV Lack o	f unity of invention		•					
Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial								
	applicability; citations and explanations supporting such statement Certain documents cited							
Box No. VII Certair	in defects in the international application							

Box No. VIII Certain observations on the international application								
Date of submission of the demand		Date of completion	of this report					
	,	• .						
04.05.2005		16.06.2005						
Name and mailing address of the IPEA/S	E .	Authorized officer						
Patent- och registreringsverket Box 5055								
S-102 42 STOCKHOLM		Magnus Westöö/MP						
Facsimile No. +46 8 667 72 88		Telephone No. +46 8 782 25 00						

Form PCT/IPEA/409 (cover sheet) (January 2004)

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2004/001007

Box	No. I	Bas	kis of the report						
1.	 With regard to the language, this report is based on the international application in the language in which it was filed, unless otherwise indicated under this item. 								
		This report is based on a translation from the original language into the following language , which is the language of a translation furnished for the purposes of:							
			international search (under Rules 12.3 and 23.1(b))						
		Ħ	publication of the international application (under Rule 12.4)						
			international preliminary examination (under Rules 55.2 and/or 55.3)						
2.	furnish	ed to the	to the elements of the international application, this report is based on (replacement sheets which have been the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" nnexed to this report):						
		the inte	anational application as originally filed/furnished						
	\boxtimes	the des	cription:						
		pages	1-23 as originally filed/furnished						
		pages*	received by this Authority on						
		pages*	received by this Authority on						
	\boxtimes	the clai							
		pages	as originally filed/furnished						
		pages*	as amended (together with any statement) under Article 19 1-4 received by this Authority on 04.05.2005						
		pages*							
	∇	the dra							
		pages	1-6 as originally filed/furnished						
		pages*							
		pages*							
		a seque	ence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.						
3.		The an	nendments have resulted in the cancellation of:						
ĺ			the description, pages						
			the claims, Nos.						
			the drawings, sheets/figs						
			the sequence listing (specify):						
			any table(s) related to the sequence listing (specify):						
4.	4. This report has been established as if (some of) the amendments annexed to this report and listed below made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemen 70.2(c)).								
			the description, pages						
			the claims, Nos.						
			the drawings, sheets/figs						
			the sequence listing (specify):						
			any table(s) related to the sequence listing (specify):						
	* If item 4 applies, some or all of those sheets may be marked "superseded."								

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2004/001007

Box No. V	Reasoned statement un citations and explanat	nder Article 3 ions supporti	35(2) with regard to novelty, inventive ng such statement	step or industrial applicability;
1. Statemen	at .	•		
Novelty (N)		Claims	1-15	YES
		Claims		NO NO
Inve	ntive step (IS)	Claims	1-15	YES
		Claims		NO NO
Indu	strial applicability (IA)	Claims	1-15	YES
:		Claims		NO

2. Citations and explanations (Rule 70.7)

Documents cited in the International Search Report:

D1: US 4779812 A D2: WO 9810449 A1

The cited documents represent the general state of the art. The invention defined in the amended claims 1-15 is not disclosed by any of these documents.

The cited prior art does not give any indication that would lead a person skilled in the art to the claimed method/bobbin/system for manufacture of toroidal transformers, the claimed toroidal transformer or the claimed use. Therefore, the claimed invention is not obvious to a person skilled in the art.

Accordingly, the invention defined in claims 1-15 is novel and is considered to involve an inventive step. The invention is industrially applicable.

10/562030

December 22, 2005

1AP20 Rac'd Pontal 2 2 DEC 2005

New National Phase Application Docket No. 10400C-000202/US

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicants:

Jörgen EKELÖF et al.

Int'l Application No.:

PCT/SE2004/001007

Application No.:

NEW APPLICATION

Filed:

December 22, 2005

For:

MANUFACTURE OF TOROIAL TRANSFORMERS

LETTER

Customer Service Window Randolph Building 401 Dulany Street Alexandria, VA 22314 Mail Stop PCT

Sir:

Amended sheets are attached hereto (which correspond to Article 34 amendments or to claims attached to the International Preliminary Examination Report), as required by 35 U.S.C. § 371(c)(3). The Article 34 amended sheets are incorporated in the included substitute specification and Preliminary Amendment.

Respectfully submitted,

HARNESS, DICKEY & PIERCE, P.L.C.

By:

John Al/Castellano, Reg. No. 35,094

.O. Box 8910

Reston, Virginia 20195

(703) 668-8000

JAC/smk

PCT/SE2004/001007

Enclosure: NEW CLAIMS

IAP20 Rec'd FCT/210 22 DEC 2005

1. Method for manufacture of toroidal transformers, the method comprising the steps of:

arranging a coil around the periphery of at least one hollow bobbin of elongated shape and of flexible material;

bending said at least one bobbin, together with said coil, so that the bobbin ends are brought towards each other, one of said bobbin ends defining an opening; and

feeding a ribbon of magnetic material through said opening, so that said ribbon is being wound a required amount of tightly packed winding turns inside said bobbin until essentially the whole interior cavity of said bobbin is filled, said ribbon thereby forming a core.

2. Method according to claim 1, comprising the additional step of:

cutting said ribbon at a desired length after having fed said ribbon through said opening.

3. Method according to any one of claims 1 or 2, comprising the additional step of:

pre-bending said ribbon at the end intended to first be fed through said opening.

4. Method according to any one of claims 1 to 3, comprising the additional step of:

providing a part of said ribbon first being fed into the bobbin essentially corresponding to the first wound winding inside said bobbin of said ribbon, on the side facing the inner curvature of the interior hollow cavity of the bobbin, with a layer having a low coefficient of friction for facilitating sliding of said ribbon while being wound inside said bobbin.

AMENDED SHEET

0 4 -05- 2005

- 5. Method according to claim 4, wherein said layer is provided by at least one of an adhesive tape having a first side with low coefficient of friction and a second side being adhesive, a coating with low coefficient of friction, and a fluid.
- 6. Method according to any one of claims 1 to 5, comprising the additional step of:

arranging a flexible transmission element so that it is in continuous co-operation with the innermost winding of said ribbon, further facilitating sliding of said ribbon while being wound inside said bobbin, thus forming the core.

7. Method according to any one of claims 5 or 6, comprising the additional step of:

arranging mediating means in connection to said ribbon for mediating co-operation between said flexible transmission element and said ribbon, said mediating means engaging with said flexible transmission element over a distance corresponding to at least a fraction of the innermost winding inside said bobbin of said ribbon.

- 8. Method according to claim 7, wherein said mediating means comprises a from said ribbon protruding part of said layer.
- 9. Method according to any one of claims 1 to 8, wherein the step of feeding said ribbon of magnetic material through said opening further comprises:

rotating said bent bobbin together with said coil; and stopping, essentially instantaneously, the rotation of said bent bobbin together with said coil.

The Swedish Patent Office PCT International Application

PCT/SE2004/001007 0 4 -05- 2005

10. Method according to any one of claims 1 to 9, wherein the step of feeding said ribbon of magnetic material through said opening further comprises:

injecting a medium through said opening, thereby creating a variable gap between the outer curvature of the interior of said hollow bobbin, being in a bent position, and said ribbon; and

leading said medium out from said hollow bobbin.

- 11. Method according to any one of claims 1 to 10, wherein said method is performed in a magnetic field.
- 12. Bobbin for manufacture of toroidal transformers, essentially comprising an elongated tube, characterised by:

said elongated tube being made by a flexible material and adapted to be bent, so that the ends of said elongated tube may be brought towards each other, one of said ends of said elongated tube defining an opening; and

said elongated tube having an essentially rectangular interior hollow cross-section.

13. System for manufacture of toroidal transformers, the system comprising:

means for arranging a coil around the periphery of at least one hollow bobbin of elongated shape and of flexible material;

means for bending said at least one bobbin, together with said coil, so that the bobbin ends are brought towards each other, one of said bobbin ends defining an opening; and

means for feeding a ribbon of magnetic material through said opening, so that said ribbon is being wound a required amount of tightly packed winding turns inside said bobbin until essentially the whole interior cavity of said bobbin is filled, said ribbon thereby forming a core.

The Swedish Patent Office PCT International Application

4

0 4-05-2005

14. Toroidal transformer manufactured by said method for manufacture of toroidal transformers, according to any one of claims 1 to 11.

15. Use of a toroidal transformer according to claim 14 in electrical equipment, such as adaptors.